

# Object oriented programming

**Hadley Wickham**

Assistant Professor / Dobelman Family Junior Chair  
Department of Statistics / Rice University

**June 2012**



Wednesday, June 27, 12

1. Motivation

2. S3

3. S4 (briefly)

4. ReferenceClasses (v. briefly)

5. Other OO styles (v. v. briefly)

# Motivation

```
print(1:10)
print(mtcars)
print
```

```
# How does print work?
mean
```

```
# R 2.13
```

```
sd <- function (x, na.rm = FALSE) {  
  if (is.matrix(x))  
    apply(x, 2, sd, na.rm = na.rm)  
  else if (is.vector(x))  
    sqrt(var(x, na.rm = na.rm))  
  else if (is.data.frame(x))  
    sapply(x, sd, na.rm = na.rm)  
  else sqrt(var(as.vector(x), na.rm = na.rm))  
}
```

```
# 2.14
```

```
sd <- function (x, na.rm = FALSE) {  
  if (is.matrix(x)) {  
    msg <- "sd(<matrix>) is deprecated.\n Use apply(*, 2, sd) instead."  
    warning(paste(msg, collapse = "" ), call. = FALSE, domain = NA)  
    apply(x, 2, sd, na.rm = na.rm)  
  }  
  else if (is.vector(x))  
    sqrt(var(x, na.rm = na.rm))  
  else if (is.data.frame(x)) {  
    msg <- "sd(<data.frame>) is deprecated.\n Use sapply(*, sd) instead."  
    warning(paste(msg, collapse = "" ), call. = FALSE, domain = NA)  
    sapply(x, sd, na.rm = na.rm)  
  }  
  else sqrt(var(as.vector(x), na.rm = na.rm))  
}
```

# What if you want to create an object where  
# sd is created in a different way?

# Motivation

- Understanding more code
- Extensibility
- Programming “in the large”
  
- Focus on S3, then differences to S4.  
Overview of R5. Summary of  
contributed OO approaches.



**\$3**

# Key points

Generic function style of OO.

No formal class definition: no definition of what fields or class hierarchy. Class attribute determines class of object.

Naming convention + UseMethod() used to find appropriate methods.

Super simple, but ad hoc, and many inconsistencies. Most common OO in R.

# Challenge

Develop a class for numeric vectors that remembers its range (like factors do)

Will extend a numeric vector to add to attributes: min and max

```
source("3-s3.r")
prob <- function(x) minmax(x, 0, 1)
likert <- function(x) minmax(x, 1, 5)

df <- data.frame(
  x = prob(runif(10, 0.2, 0.9)),
  y = likert(sample(1:4, 10, rep = T)))

range(df$x)
range(df$y)

# And in an ideal world:
library(ggplot2)
qplot(x, y, data = df)
```

```
# Structure function takes vector and adds attributes
# class attribute determines S3 class
structure(1:10, min = 0, max = 10,
  class = "minmax")

# Customary to create convenience function to create
# objects of specific class
minmax <- function(x, minx = min(x), maxx = max(x)) {
  stopifnot(is.numeric(x))

  structure(x, min = minx, max = maxx,
    class = "minmax")
}
minmax(1:10)
```

```
# Also customary to create function to test if
# an object is of that class:
is.minmax <- function(x) {
  inherits(x, "minmax")
  # "minmax" %in% attr(x, "class")
}
is.minmax(minmax(1:10))
```

# Generic functions

Methods are associated with functions,  
not classes.

*Methods are associated with functions,  
not classes.*

**Methods are associated with functions,  
not classes.**

```
# First method is usually a print method. Always  
# look at the generic first so that you can match  
# the arguments correctly.
```

```
print
```

```
# Can tell it's a generic function because it uses  
# UseMethod
```

```
# Methods follow simple naming scheme
```

```
print.minmax <- function(x, ...) {  
  print.default(as.numeric(x))  
  cat("Range: [", attr(x, "min"), ", ", "  
    attr(x, "max"), "]\n", sep = "")  
}
```

```
minmax(1:10)
```

```
# Only time it's ok to call a method directly
```



```
# No checks for object correctness, so easy to abuse
```

```
mod <- glm(log(mpg) ~ log(displ), data = mtcars)
```

```
class(mod)
```

```
class(mod) <- "lm"
```

```
mod
```

```
class(mod) <- "table"
```

```
mod
```

```
# But surprisingly, this doesn't cause that  
# many problems - instead of the language enforcing  
# certain properties you need to do it yourself
```

# Your turn

What's wrong with the following code?

```
minmax(1:10, maxx = 5)
```

Modify `minmax` to prevent it from occurring.

```
minmax <- function(x, minx = min(x), maxx = max(x)) {  
  stopifnot(is.numeric(x))  
  stopifnot(all(minx <= x))  
  stopifnot(all(maxx >= x))  
  
  structure(x, min = minx, max = maxx,  
    class = "minmax")  
}  
minmax(1:10, maxx = 5)
```

```
minmax <- function(x, minx = min(x), maxx = max(x)) {  
  stopifnot(is.numeric(x))  
  
  minx <- min(x, minx)  
  maxx <- max(x, maxx)  
  
  structure(x, min = minx, max = maxx,  
    class = "minmax")  
}  
minmax(1:10, maxx = 5)
```

```
minmax <- function(x, minx = min(x), maxx = max(x)) {  
  stopifnot(is.numeric(x))  
  
  structure(ifelse(x >= minx & x <= maxx, x, NA),  
    min = minx, max = maxx,  
    class = "minmax")  
}  
  
minmax(1:10, maxx = 5)
```

```
a <- minmax(1:10, max = 20)
```

```
max(a)
```

```
min(a)
```

```
range(a)
```

```
# Need to add methods for these generic functions
```

```
max
```

```
min
```

```
range
```

```
# How do you know if a function is generic?
```

```
# * includes UseMethod (like print)
```

```
# * is primitive or internal and listed in:
```

```
# * ?S3groupGeneric
```

```
# * ?InternalMethods
```

```
max.minmax <- function(..., na.rm = FALSE) {  
  parts <- list(...)  
  if (length(parts) == 1) {  
    attr(parts[[1]], "max")  
  } else {  
    stop("Maximum of more than one minmax not ",  
         "implemented")  
  }  
}
```

# Your turn

Add method for `min`. Does `range` work as expected? If not, fix it.

Extend the function to work with any number of inputs.



```
min.minmax <- function(..., na.rm = FALSE) {  
  parts <- list(...)  
  if (length(parts) == 1) {  
    attr(parts[[1]], "min")  
  } else {  
    stop("Minimum of more than one minmax not",  
         "implemented")  
  }  
}
```

```
max.minmax <- function(..., na.rm = FALSE) {
  parts <- list(...)
  if (length(parts) == 1) {
    attr(parts[[1]], "max")
  } else {
    max(vapply(parts, "max", numeric(1)))
  }
}

min.minmax <- function(..., na.rm = FALSE) {
  parts <- list(...)
  if (length(parts) == 1) {
    attr(parts[[1]], "min")
  } else {
    min(vapply(parts, "min", numeric(1)))
  }
}

range.minmax <- function(..., na.rm = FALSE) {
  c(min(..., na.rm = na.rm), max(..., na.rm = na.rm))
}
```

```
a <- minmax(1:10, max = 20)
```

```
a[1:5]
```

```
# Always need to locate the generic so you can  
# figure out what the arguments are. This is  
# sometimes hard!
```

```
match.fun("[")
```

```
? "["
```

```
# In this case we can punt, and allow the parent  
# method to do the hard work
```

```
"[.minmax" <- function(x, ...) {  
  minmax(NextMethod(), minx = attr(x, "min"),  
         maxx = attr(x, "max"))  
}
```

```
"[.minmax" <- function(x, ...) {  
  class(x) <- class(x)[-1]  
  minmax("["(x, ...), minx = attr(x, "min"),  
    maxx = attr(x, "max"))  
}
```

# Inheritance

`NextMethod()` strips the first element off the class vector and then re-calls the generic with the same arguments.

Confusing here because it looks like there is only one element in the class vector.

But: `class(unclass(minmax(1:10)))`

```
# Storing S3 objects in a data frame requires a  
# method for as.data.frame.
```

```
df <- data.frame(a = a)
```

```
as.data.frame.minmax <- function(x, ...) {  
  structure(list(x),  
            row.names = seq_along(x),  
            class = "data.frame")  
}
```

```
df <- data.frame(a = a)  
df[1:5, "a"]
```

```
# Alternative
```

```
as.data.frame.minmax <- function(x, ...) {  
  data.frame(I(x))  
}
```

```
a <- minmax(1:10)
b <- minmax(1:5, max = 20)
a + b
a + 3
3 + a
```

```
match.fun("+")
```

```
"+.minmax" <- function(e1, e2) {
  minmax(NextMethod(), min = min(e1) + min(e2),
    max = max(e1) + max(e2))
}
```

```
a + b
a + 3
3 + a
```

```
# Creating your own generics
mean2 <- function (x, ...) {
  UseMethod("mean2", x)
}

# Methods follow a simple naming convention
mean2.numeric <- function(x, ...) sum(x) / length(x)
mean2.data.frame <- function(x, ...)
  sapply(x, mean2, ...)
mean2.matrix <- function(x, ...) apply(x, 2, mean)

mean2.default <- function(x, ...) {
  stop("mean2 not implemented for objects of type ",
    class(x))
}

# Bad practice to call methods directly
```



```
# Finds all methods for the mean2 generic:  
# mean2.*  
methods("mean2")
```

```
# Find all methods associated with matrix class  
# *.matrix  
methods(class = "matrix")
```

# Namespacing

In Java/C#/Ruby/Python etc., often have many small methods, even if only used by one class.

This is not useful in R – only useful to define methods that are used by multiple classes.

Use namespaces (tomorrow) for the equivalent encapsulation.

**\$4**

# Key points

Same basic style as S3, but formal and rigorous (and verbose).

`setClass()` defines classes.

`setGeneric()` defines generic functions.

`setMethod()` defines methods.

# Your turn

Read through 4-S4.r. Compare and contrast S3 to S4.

S3	S4
UseMethod	setGeneric / standardGeneric
NextMethod	callNextMethod
methods	findMethods

# Tips

S4 supports multiple inheritance and multiple dispatch — but don't use both. Method dispatch becomes extremely complex.

See example in `?"?"` for getting help on S4 methods

Keep it simple!

# Learning more

?setClass ?setMethod

<http://www.ci.tuwien.ac.at/Conferences/useR-2004/Keynotes/Leisch.pdf>

<http://www.bioconductor.org/help/course-materials/2011/AdvancedRFeb2011Seattle/>

Chapter 9 in “Software for Data Analysis”,  
by John Chambers



**R5**

# Key points

Class-based (message passing) OO.  
Much closer to Java/C#/Python/Ruby etc.

Have mutable state.

Still under active development.

Currently all methods/fields are public.

```
Counter <- setRefClass("Counter", fields = "i",
  methods = list(
    initialize = function() {
      initFields(i = 0)
    },
    count = function() {
      i <<- i + 1
      i
    }
  )
)
```

```
counter_one <- Counter$new()
counter_two <- Counter$new()
counter_one$count()
counter_one$count()
counter_two$count()
```

# Key points

- Works much like a list of functions. Use \$ to access fields and methods
- In methods, use <<- to modify fields.
- Use R5 classes only for components that really need mutable state. Use S3/S4 for everything else.

# Others

# Packages

- proto
- mutatr
- R.oo
- OOP
- ofp, s3x



This work is licensed under the Creative Commons Attribution-Noncommercial 3.0 United States License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc/3.0/us/> or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.